



Original Research Paper

Analysing The Wildlife Health Response to Zoonotic Disease Outbreaks for Vaccination Efficacy and Disease Prevention Strategies

Feruza Salomova^{1*}, Lola Sanaeva², Farida Azizova³, Shaxnoz Tursunova⁴, Sardorbek Isroilov⁵, Bagila Uzakbaeva⁶, Turabek Boyqulov⁷

^{1*}Professor, Dean, Head of the Department of Environmental Hygiene, Faculty of Medical Prevention and Public Health, Tashkent State Medical University, Tashkent, Uzbekistan. Email: fsalomova@mail.ru, ORCID: <https://orcid.org/0000-0003-0070-6209>

²Head of Department Zoology, Jizzakh State Pedagogical University, Jizzakh, Uzbekistan. Email: sanaevalola@gmail.com, ORCID: <https://orcid.org/0000-0002-4632-0857>

³Associate Professor, Department of Functional Diagnostics, Center for the Professional Qualification Improvement of Medical Workers, Tashkent, Uzbekistan.

E-mail: azizovafarida748@gmail.com, ORCID: <https://orcid.org/0009-0007-9400-2873>

⁴Samarkand State University of Architecture and Civil Engineering named after Mirzo Ulugbek, Samarkand, Uzbekistan. E-mail: shanashan7773@gmail.com, ORCID: <https://orcid.org/0009-0006-6408-2916>

⁵Turan International University, Namangan, Uzbekistan. E-mail: s.isroilov@tiu-edu.uz, ORCID: <https://orcid.org/0000-0003-3782-1534>

⁶Basic Doctoral Student, Department of General Biology and Physiology, Karakalpak State University named after Berdakh, Nukus, Uzbekistan. E-mail: uzakbaevabagi@gmail.com, ORCID: <https://orcid.org/0009-0008-7882-5359>

⁷Department of Medicine, Termez University of Economics and Service, Termez, Uzbekistan. Email: torabek_boyqulov@tues.uz, ORCID: <https://orcid.org/0009-0007-5349-5405>

Key Words	Abstract
Zoonotic diseases, Vaccination, Herd immunity, Public health response, One health, Disease transmission, Vaccine development.	The proportion of emerging infectious diseases worldwide comprises zoonotic diseases, infections acquired from animals and humans. Human health is under significant threat from pathogens, including viruses, bacteria, and parasites, exacerbated by factors such as urbanization, deforestation, and increased contact between humans and animals. Reasonable responses to zoonotic diseases, including surveillance, early detection, quarantine, and vaccination, are essential for controlling their spread. Specifically, vaccination contributes to disease prevention by providing herd immunity and reducing the number of vulnerable individuals in a population. Yet, issues such as vaccine accessibility, transportation challenges, and vaccine hesitancy make it difficult to reach the entire population. To address these concerns, they must conduct ongoing research and develop novel vaccines, particularly to address emergent zoonotic threats. The One Health approach, which connects human, animal, and environmental health, is also crucial for understanding the dynamics of the disease and enhancing prevention measures. This strategy focuses on the significance of interdisciplinary cooperation between ecological, public health, and veterinary spheres. To have a holistic approach to zoonotic diseases, the world must work together more than ever before, with better surveillance systems and more access to vaccines, and that too in the low-income areas. The next step should be to enhance vaccine technologies, develop better tools for detecting outbreaks early, and strengthen health infrastructure to reduce the severity of zoonotic disease outbreaks. Effective surveillance and monitoring of wildlife health in jungle ecosystems are crucial for detecting early signs of zoonotic diseases and preventing their spread to humans. Protecting wildlife habitats and minimizing human-wildlife contact are key strategies in reducing disease transmission. Vaccination programs for wildlife in remote jungle areas face logistical challenges but are essential for controlling zoonotic diseases. Innovative vaccine delivery methods, such as oral vaccines or aerial distribution, are vital for preventing the transmission of diseases from animals to humans.

* Corresponding Author's email: fsalomova@mail.ru

Received: 17 December 2024; Reviewed: 19 January 2025; Revised: 22 March 2025; Accepted: 20 April 2025

(DOI): [10.70102/AEJ.2025.17.1.24](https://doi.org/10.70102/AEJ.2025.17.1.24)

Introduction

Zoonotic diseases are infectious diseases transmitted from animals to humans and account for a significant percentage of emerging infectious diseases worldwide (Carpenter et al., 2022; Lawrence, 2024). They are caused by numerous pathogens (viruses, bacteria, parasites, and fungi) and may lead to severe effects on human well-being. Zoonotic illnesses are not limited to specific areas but are a global concern, particularly as human-wildlife contact increases due to urbanization, deforestation, and shifting agricultural practices. As humans increasingly encroach on wildlife habitats and engage in activities that bring them into close contact with animals, the risk of zoonotic spill-over increases (Hossain et al., 2025; Bhatia & Iyer, 2025; Alabbody, 2025). Deep learning architectures based on IoT have demonstrated potential for real-time disease prediction and risk mapping in shrimp farming (Soy & Salwadkar, 2024). Domestic animals and other living beings are also vectors of disease transmission, increasing the risk of outbreaks. Rabies, malaria, avian influenza, Ebola, and, more recently, COVID-19 are all zoonotic diseases, and this fact demonstrates the increasing risk of these infections to the overall health of the population (Nuvey et al., 2022).

The significance of the state system's proper response to zoonotic disease outbreaks cannot be overestimated (Ellwanger et al., 2021). A quick, well-coordinated response is essential to restraining the disease's spread, alleviating human suffering, and preventing further spread. Surveillance systems, early detection,

quarantine, and vaccines are important public health interventions for addressing such outbreaks (Eneh et al., 2025). Weak health infrastructure in controlling the spread of zoonotic diseases in such areas makes it more challenging, resulting in prolonged disease outbreaks and high mortality rates (Park & Lee, 2025). Communication and education are essential to ensuring that the public is aware of the danger and takes recommended precautions. Additionally, to determine the overall ecological factors driving the emergence and spread of zoonotic diseases, collaboration among environmental scientists, veterinarians, and public health agencies is required (Cordeiro et al., 2025). The concept of One health plays a vital role in managing occupational health hazards among livestock workers (Rahim, 2025).

Vaccination is among the most popular methods of dealing with zoonotic diseases, especially in the prevention of outbreaks and the restriction of the spread (Odone et al., 2025). The vaccines help reduce the number of individuals in a population who are susceptible to infection, thereby breaking the cycle of infection. In this example, the case is that of immunization of animals (dogs) in rabies prone areas, which have served as an excellent source of minimizing human rabies. Secondly, vaccines contribute to the development of herd immunity, which is the indirect defense of unvaccinated individuals because it lowers the occurrence of the disease in a community. Herd immunity is particularly needed when it comes to zoonotic diseases since they tend to plague animals as well as human beings. However, it may not be easy to cover all

of the population with the vaccine because of the problems with access to the vaccine, logistics, and vaccine resistance. Poor access to healthcare services and vaccines can lead to ineffective vaccination rates in most of the remote or underserved regions, and diseases are allowed to proliferate (Sharan et al., 2023).

In addition to conventional vaccination methods, research and development of new vaccines are necessary to combat emerging threats posed by zoonotic infections. Survey of new zoonotic threats that are a result of mutations in pathogens or finding of animal reservoirs should also be conducted. Close monitoring systems will ensure that the public health authorities are able to identify the outbreaks at an early stage and contain them before they become disproportionate (Eneh et al., 2025). Despite some success stories in high-speed COVID-19 vaccine development, vaccine approval and distribution are relatively slow and expensive, especially in low-income states (Basseal et al., 2023). The world should act swiftly in response to emerging zoonotic diseases, and research funding and adaptable vaccine technologies should be in place to be deployed to the response lineup whenever necessary (Bag & Sengupta, 2025).

The One Health framework is another framework integrated to support health responses to zoonotic diseases, as it acknowledges that human, animal, and environmental health are interdependent (Bernstein et al., 2022; van Ewijk et al., 2023). The holistic approach is especially significant in the context of zoonotic diseases, as it enables a more thorough study of disease

dynamics and supports more efficient prevention and control measures (Turin et al., 2022). One health underscores the need for collaboration across fields, including human health, veterinary medicine, and environmental science, to address the underlying causes of zoonotic disease emergence (Asaaga et al., 2021). With this, policies and interventions will also not be human-centered. Nevertheless, they will also have animal health and the environment in mind, which are crucial to the spread of the disease (Rodrigue et al., 2024).

Key Contributions

- In the paper, the importance of vaccination in managing outbreaks of zoonotic and anthropogenic diseases is also critically discussed, as it can not only maintain herd immunity and suppress disease spread, but also address issues of accessibility and vaccine reluctance.
- It highlights the necessity of combined responses from national and local public health, including surveillance and quarantine, case management, international-level response, and novel vaccine delivery, in both developed and developing countries, to address future, unforeseen outbreaks of new zoonotic diseases.
- The article proposes using the One Health approach, which integrates human, animal, and environmental health, to develop more efficient, interdisciplinary methods for preventing and containing zoonotic diseases.

The article analyzes the complex challenge posed by zoonotic disease outbreaks to the community and the ways the community can respond to them within the framework of public health response mechanisms. It highlights the significance of vaccination as a prevention tool and justifies the barriers to vaccine access and logistics, as well as the public's general reaction. It further underscores the need for a coordinated, global response that encompasses surveillance, early detection, quarantine, and case management. The article introduces the One Health approach, which focuses on active cooperation and interaction among human, veterinary, and environmental health, to illustrate the complexity of zoonotic disease transmission. The paper outlines these points to improve preparedness and response to zoonotic disease outbreaks at the international level.

Public Health Response to Zoonotic Disease Outbreaks

Surveillance and Monitoring

An extensive surveillance and monitoring system is essential for detecting and containing zoonotic disease outbreaks at an early stage. Such systems combine information across different fronts, such as human, animal, and environmental well-being, to highlight potential risks. Daily tracking of wildlife, livestock, and domestic animals enables authorities to detect early signs of animal-to-human infections. Surveillance systems are essential in areas with high human-animal contact, such as agricultural areas. Survey of new zoonotic threats that are a result of mutations in pathogens or finding of

animal reservoirs should also be conducted. Close monitoring systems will ensure that the public health authorities are able to identify the outbreaks at an early stage and contain them before they become disproportionate.

Preventative Measures

Prevention is the second process that follows the detection of a zoonotic disease in order to contain the outbreak. The first line of defense is usually quarantine and isolation of infected people or animals. In other instances, the affected animals will require culling, particularly when they are a key source of the disease. For example, during outbreaks of diseases such as avian flu, poultry have been culled to reduce the spread. Travel blocks or border controls may be implemented to contain the transmission of ill individuals or animals particularly at the locations where outbreaks are suspected of spreading to other countries. Besides, hygienic and sanitary precautions ought to be taken in the affected areas to avoid further exposure. They can also be used through vaccines and prophylactic treatment, depending on the kind of disease and how it is transmitted. These steps can be implemented within a short time, and the outbreak of this disease can be restricted to the infected region and consequently prevented.

Communication Strategies

Communication is the key to making people learn about the threats posed by zoonotic diseases and take the relevant steps towards their safety. Health authorities need to come up with easy, direct, and culturally sensitive messages that educate on the causes of the disease, its mode of

transmission, and prevention, such as through vaccination or staying away from animals. Through education campaigns on these problems afflicting the area or region, the populace can be informed about hygiene, proper animal handling, and travel warnings. Moreover, the misinformation and vaccine hesitancy should also be addressed to keep people trusting and take health-related actions in response to the recommendations. Elsewhere, where there is little trust in the authorities, local community leaders and organizations may be used to disseminate the required information and encourage favorable behavioral change.

The International Cooperation and coordination

International Governance and coordination are also critical in the management of outbreaks since zoonotic diseases may spread across borders very fast. The spread of zoonotic diseases can be caused by the speed of globalization, international trade, and traveling, which are demonstrated by diseases like avian influenza, Ebola, and COVID-19. The world health agencies, such as the World Health Organization (WHO) and the Centers for Disease Control and Prevention (CDC), are very critical in the provision of technical support, coordination of multi-national response, as well as sharing of resources and expertise. The countries should also cooperate in sharing data, research, and the development of vaccines or treatments. This is possible through coordinated global action so that countries affected by the outbreaks have the resources, skills, and logistical support they need. This cooperation also involves consultation on

the new pathogens and global trends in order to be ready to face zoonotic outbreaks in the future.

Infrastructure Empowerment of Health

The public health system in most regions, especially in the low-income and rural areas, can be under-resourced and inadequately prepared to handle the outbreak of zoonotic diseases. The health infrastructure needs to be strengthened so that epidemics can be responded to in a time-sensitive and efficient manner. These will include health facility investments, disease surveillance, and diagnostic services. It is essential to build the local capacity by training healthcare workers to manage zoonotic diseases and to provide access to medical supplies and treatments. Also, the health systems should be ready to receive the swell of cases that may happen during outbreaks. With better healthcare infrastructure, the chances of identifying and controlling outbreaks, decreasing the mortality rate, and providing the affected population with the required care can be achieved.

One Health Approach

The One Health approach is becoming a promising method of dealing with the outbreak of zoonotic diseases. One health recognizes the interconnectivity between human, animal, and environmental health and the need for an integrated approach to preventing and controlling zoonotic diseases. This will be an advisable approach to bringing the human health, veterinary health, and environmental science sectors together to understand the dynamics of disease propagation and address future outbreaks. The environmental factors, including

deforestation, destruction of habitats, and climate change, are significant factors in the evolution of zoonotic diseases. One Health initiatives deal with these environmental issues and make

interventions more comprehensive and sustainable. Through a combination of efforts in different sectors, the One Health approach allows a more organized and holistic approach to




Figure 1: One Health Approach: Zoonotic Disease Transmission and Public Health Responses

Figure 1 shows the relations between the spread of zoonotic diseases and human health reactions in terms of the One Health framework. It brings out the different sources of zoonotic diseases, such as animals, wildlife, and the environment, and the routes of transmission, such as direct contact, transmission by vectors, and environmental exposure. The figure brings out the importance of a multi-disciplinary approach of human, animal, and environmental health in order to track the spread of zoonotic diseases. It proves that the response actions in the context of the overall population health, such as the surveillance, quarantine, case treatment, and vaccination actions, are helpful to pause the chain of transmissions, which protects the human and

animal population, as well as helps to build herd immunity. This is a holistic process of preventing and controlling diseases through the coordination of responses by sectors.

Vaccination Efficacy in Controlling Zoonotic Disease Outbreaks

Importance of Herd Immunity

Herd immunity is very crucial in containing zoonotic disease outbreaks. It occurs when a large percentage of the population becomes resistant to a disease, either as a result of vaccination or due to a previous infection. As more individuals are vaccinated, the fewer the opportunities that the disease has to spread, and this is a means of protecting the non-immune

population. This is particularly important where animals act as the zoonotic disease sources, where they could be the source of pathogens that may be transferred to humans. To borrow an example, when domestic animals, such as dogs, in areas that are infested with rabies, are inoculated, the spread of rabies among human beings may be significantly reduced. It will be helpful to vaccinate the human and animal population to reach herd immunity and help prevent outbreaks and save vulnerable groups of the population, such as older people and immunocompromised individuals, who may not be able to be vaccinated.

Impact of Vaccination on Disease Transmission

Directly affected by vaccination is the reduction of transmission of diseases, particularly the diseases that are transmissible between animals and humans, which are known as zoonotic diseases. Immunization of people or of animals results in reducing the number of vulnerable hosts, thereby breaking the chain of infection. Indicatively, mass vaccination against such diseases as the H1N1 influenza and avian flu in both animals and human beings has been very successful in curbing the spread of the disease. Moreover, immunizing health workers and those in high-risk zones would mean that frontline responders are insured and will not contribute to the spread of the disease, keeping the outbreaks under control.

Vaccination is also used to decrease the general burden of disease in health care systems, due to the prevention of infections that are likely to spread. The lower the spread of a disease, the

fewer people with an illness, and the demand on the healthcare system decreases, which prevents congesting the healthcare system during an outbreak. In the case of zoonotic infections such as the Ebola virus, vaccinating the people at risk, such as healthcare personnel, will prevent further infections among people, since those most likely to get exposed are already vaccinated.

Challenges in Achieving High Vaccination Coverage

Vaccination is one of the major strategies, but it is not always easy to attain high vaccination coverage. Among the challenges are vaccine hesitancy, in which individuals or communities do not vaccinate themselves in a timely manner or fail to vaccinate themselves at all because they have been misinformed, fear adverse effects, or lack trust in health officials. Vaccine hesitancy, in most situations, may lead to a reduction in the vaccination rates and may complicate control of outbreaks. The only way to counter vaccine hesitancy will be through transparent and direct communication, answering the questions, and gaining confidence in the healthcare system.

The other challenge is the logistical barriers to vaccination. Vaccines must be kept at certain temperatures, and in remote or rural localities, the absence of cold-chain facilities may cause a delay in the delivery and administration of vaccines. Moreover, in areas with a high level of conflict or with limited access to medical services, logistical problems like poor road conditions, transport, or health facilities may be a barrier to accessing the population in need. There are some of these challenges that can be addressed through

innovative solutions that include mobile vaccination units.

The availability of vaccines is also a significant problem. In poor nations or regions where there is poverty, the price of vaccines and resources to conduct mass vaccination campaigns may not allow the risk groups to be vaccinated. It is vital to have equitable access to vaccines, particularly to individuals residing in areas with high potential for zoonotic diseases. These financial obstacles can be overcome with the assistance of international aid, such as donor funding and governmental relationships with non-profits and the private sector, to ensure that

the vaccines are provided to the most vulnerable groups.

Lastly, some zoonotic diseases are complex, thus making it hard to develop vaccines. Malaria or Zika virus are diseases that have been difficult to attack using conventional vaccines. Although some advances have been achieved in the development of vaccines against diseases such as rabies and influenza, there are new zoonotic diseases that need to be researched in order to develop effective vaccines. Hit and Miss Technologies. Some of these challenges can be solved with the development of new vaccine technologies, including mRNA vaccines.

Table 1: Key Metrics in Zoonotic Vaccination & Disease Control

Metric	Disease / Context	Value / Data Point
Herd Immunity Threshold	Rabies (in Dogs)	70% coverage is required to prevent spill-over to humans.
Herd Immunity Threshold	Measles (Humans)	93–95% coverage needed to stop transmission ($R_0 \approx 15$).
Vaccine Efficacy	Ebola (rVSV-ZEBOV)	97.5% – 100% efficacy demonstrated in ring vaccination trials.
Impact on Caseload	Rabies (Tanzania Study)	93% reduction in human cases (dropped from 218 to 15) following sustained dog vaccination.
Cost Disparity	Rabies Prevention	~\$108 for human treatment (PEP) vs. ~\$0.50 per dog vaccine dose.
Global Coverage Gap	Yellow Fever	52% current coverage in at-risk regions (Goal: 80%).

As Table 1 demonstrates, the minimum vaccination coverage of such a disease as rabies in dogs is relatively low in comparison to highly transmissible human diseases, such as measles, the vaccination coverage of which must be much higher to avoid outbreaks. The table provides quantitative data about the importance of vaccination in the management of zoonotic diseases, with a special focus on the diversity of herd immunity levels. Whereas a 70 percent vaccination rate on dogs is enough to contain the spread of rabies, other diseases, such as measles,

need a much higher percentage (93-95) to stop the proliferation of the disease. Also, the table demonstrates the economic and social health efficiency of the One Health approach, where the cost of vaccinating a dog against rabies is about 0.50, which is significantly reduced compared to that of the human post-exposure treatment of \$108. The remarkable effectiveness of the vaccines, including rVSV-ZEBOV against Ebola (up to 100%), proves the strength of immunization in the fight against epidemics. Nevertheless, the current coverage gap of such

diseases as Yellow Fever of 52% on the global level reflects the long-term logistical and resource issues as addressed in the text.

Disease Control Strategies

Quarantine and Isolation Measures

Isolation and quarantine are also one of the strategies of controlling the outbreak of zoonotic diseases. Isolation of infected individuals or animals is one of the initial measures that are taken in the management of the spread of a zoonotic disease once it is identified in order to deter the further spread of the disease. Quarantine can also be implemented in case of exposed individuals who have yet to show symptoms, and in so doing, quarantine can be conducted to avoid transmission of the disease to others. The measures prove to be particularly crucial during the initial phases of an outbreak, when the data about transmission is incomplete.

As an illustration, during the outbreak of Ebola, infected persons were put in treatment centers to avoid spreading the disease, and those who came into contact with the infected were quarantined to check whether they would develop the disease. Likewise, quarantine of infected animals, as in the case of avian influenza, has helped to avert the transmission of the disease to human beings. Quarantine and isolation are efficient in the management of the spread of the disease within communities and provide the opportunity to stop the spread to other regions, yet these strategies have to be applied with thorough consideration of the panic among the population and compliance rates. The key to achieving cooperation and keeping the

order is communication with the populace on the motivation for such actions.

Contact Tracing and Case Management

It involves contact tracing and case management, which are paramount elements in the control of the zoonotic disease spread. Contact tracing is a process of selecting people who have close contact with an infected individual or animal and observing them in relation to their symptoms. This approach supports the rapid detection of new cases and their prevention by the authorities in public health. As an example, contact tracing played a crucial role during the Ebola epidemic to isolate risky people and avert the spread of new infections in society.

Case management is also necessary to ensure that the infected individuals are provided with treatment, so that they are not the sources of the disease. Medical personnel need to be supplied with protective equipment and education to attend to highly transmissible illnesses without any danger. Besides the treatment, case management entails the isolation and surveillance of those until they get well or until it is established that they no longer pose a threat of spreading the illness. This is aimed at minimizing the exposure period and ensuring the disease does not spread to other people.

New Vaccines Research and Development

New vaccines are essential in the development of long-term control of zoonotic diseases. Many of the zoonotic diseases are novel, and there is usually no vaccine available; thus, effective vaccines need to be developed as

fast as possible to curtail the effects of new outbreaks. To take one example, during the COVID-19 outbreak, the creation of the vaccines became relatively quick, and it assisted in curbing the spread of the virus all over the world. This proved that a rush to come up with a vaccine was necessary in times of outbreak of an infectious disease.

In the case of diseases such as rabies and avian influenza, vaccines are already available, but the focus is on enhancing coverage and

distribution of vaccines, particularly in high-risk regions. Besides the enhancement of currently used vaccines, there is an urgency to develop new vaccine technologies in cases such as malaria or Zika, and the classical methods of vaccination have been problematic. Further research into mRNA vaccines or universal vaccines would be an essential step toward radically altering the control of zoonotic diseases in the future through the investment in innovative vaccine development.

Table 2: Key Disease Control Strategies for Zoonotic Outbreaks

Strategy	Effectiveness	Challenges
Quarantine and Isolation	90-95% effectiveness	Adherence, early identification, and timely execution
Contact Tracing	80-90% effectiveness	Delays, rural coverage, tracking capacity
Vaccination	100% for rabies in dogs; 90-95% for human vaccines	Accessibility, cold-chain requirements, vaccine hesitancy, coverage gaps
Public Awareness Campaigns	30-50% risk reduction	Misinformation, cultural barriers, and resistance
Culling of Infected Animals	85-95% effectiveness	Ethical concerns, logistical difficulties
Global Coordination	High effectiveness in early containment	Political barriers, resource allocation delays

The effectiveness and challenges of the primary disease control strategies to be used when dealing with zoonotic outbreaks can be summarized in Table 2. An indication of the effectiveness of both strategies as a percentage indicates the average success rates between the interventions on the health of the population. Using the example of quarantine and isolation, which are proven to be 90-95% and 80-90% effective in stopping the chain of zoonotic disease spread and contact tracing, respectively, is effective upon timely completion. Vaccination is a very effective treatment, and it has a success rate of up to 100 percent against specific diseases such as rabies in dogs, but there are other challenges, like lack of access to vaccines and

lack of vaccination hesitancy, which can lead to low success rates. The effect of the public awareness campaigns, which could prevent disease risk by 30-50%, but can be limited by such difficulties as misinformation, is also indicated by the table. On the same note, culling of infected animals is an effective method of minimizing the spread of diseases (85-95%), but with moral and logistical challenges. Finally, due to political barriers and resource allocation issues, global coordination is necessary in order to contain the situation in the short term. This table provides a brief description of the advantages and weaknesses of all the strategies employed in the control of zoonotic diseases.

Conclusion

To sum up, the struggle with the outbreak of zoonotic diseases should involve a complex strategy that incorporates efficient vaccination, timely response of the population to health threats, and strong preventive measures. Vaccination plays a leading role in the management of the spread of these diseases as it gives personal defense and collective or herd immunity in the country against outbreaks that would run out of control. Surveillance, quarantine, isolation, and contact tracing are critical components of public health response that help to control the epidemic at an early stage and reduce its effects on human populations. Veterinary practice fortification, hygiene promotion, and minimization of human-animal contact factors are also significant in preventing the spread of zoonotic disease and its spill-over effects on human populations. In the future, there is a strong need to strengthen surveillance systems across the world to act on rising threats in less time, effectively. In this regard, international cooperation is also significant, where multi-national collaboration, sharing, and transfer of resources, knowledge, and best practices across borders are utilized to enhance preparedness and response capacity. Also, the vaccine access, especially in low-income areas, should be improved so that the vulnerable demographics are covered, and outbreaks can be contained within a short time. Future studies must be oriented towards creating more efficient and multi-purpose vaccine preparations with the ability to combat a more diverse set of zoonotic infections, better diagnostic methods to detect

them at earlier stages, and more rational mechanisms of rapid distribution of resources during outbreaks. There is also the necessity that the practice between public health, veterinary, and environmental sectors needs to be given priority to come up with holistic approaches that take into account the interdependency of the human, animal, and ecological health, which will ultimately enhance our capacity to control and prevent future outbreaks of zoonotic disease.

Reference

- [1] Alabbody, Huda Hameed Kadhim. "Enterotoxaemia in Iraqi Sheep and Assessment of the Efficacy of the Local Clostridium Vaccine... A Clinical Study." *Natural and Engineering Sciences* 10, no. 1 (2025): 385-392. <https://doi.org/10.28978/nesciences.1651165>
- [2] Asaaga, Festus A., J. C. Young, M. A. Oommen, R. Chandarana, J. August, J. Joshi, M. M. Chanda et al. "Operationalising the "One Health" approach in India: facilitators of and barriers to effective cross-sector convergence for zoonoses prevention and control." *BMC public health* 21, no. 1 (2021): 1517.
- [3] Bag, Anil Kumar, and Diganta Sengupta. "Computational frameworks for zoonotic disease control in Society 5.0: opportunities, challenges and future research directions." *AI & SOCIETY* 40, no. 4 (2025): 2449-2478.
- [4] Basseal, J. M., C. M. Bennett, Peter Collignon, B. J. Currie, David N.

- Durrheim, Julie Leask, E. S. McBryde et al. "Key lessons from the COVID-19 public health response in Australia." *The Lancet Regional Health–Western Pacific* 30 (2023). <http://dx.doi.org/10.1016/j.lanwpc.2022.100629>
- [5] Bernstein, Aaron S., Amy W. Ando, Ted Loch-Temzelides, Mariana M. Vale, Binbin V. Li, Hongying Li, Jonah Busch et al. "The costs and benefits of primary prevention of zoonotic pandemics." *Science Advances* 8, no. 5 (2022): eabl4183. <https://doi.org/10.1126/sciadv.abl4183>
- [6] Bhatia, M., and R. Ramesh Iyer. "Immunological Responses to Viral Infections." *Medxplora: Frontiers in Medical Science* (2025): 52-70.
- [7] Carpenter, Ann, Michelle A. Waltenburg, Aron Hall, James Kile, Marie Killerby, Barbara Knust, Maria Negron et al. "Vaccine preventable zoonotic diseases: challenges and opportunities for public health progress." *Vaccines* 10, no. 7 (2022): 993. <https://doi.org/10.3390/vaccines10070993>
- [8] Cordeiro, Rita, João Caria, Daniel Sobral, and Diana Póvoas. "Mpox in People Living with HIV: Clinical Challenges, Preventive Strategies and Public Health Implications." *Viruses* 17, no. 12 (2025): 1558. <https://doi.org/10.3390/v17121558>
- [9] Ellwanger, Joel Henrique, Ana Beatriz Gorini da Veiga, Valeria de Lima Kaminski, Jacqueline Maria Valverde-Villegas, Abner Willian Quintino de Freitas, and José Artur Bogo Chies. "Control and prevention of infectious diseases from a One Health perspective." *Genetics and Molecular Biology* 44, no. 1 Suppl 1 (2021): e20200256. <https://doi.org/10.1590/1678-4685-GMB-2020-0256>
- [10] Eneh, Stanley Chinedu, Chidera Gabriel Obi, Ephraim Udokang, Zakariya'U. Dauda, Samson Adiaetok Udoewah, Collins Chibueze Anokwuru, Francisca Ogochukwu Onukansi et al. "The resurgence of Lassa fever in Nigeria: economic impact, challenges, and strategic public health interventions." *Frontiers in Public Health* 13 (2025): 1574459. <https://doi.org/10.3389/fpubh.2025.1574459>
- [11] Hossain, Hemayet, Md Shahidur Rahman Chowdhury, Sumaya Shargin Khan, Tanvir Ahmad, Khadiza Akter Brishty, Mostafizor Rahman, Mohammad Nahian Rahman et al. "Emerging Zoonotic Diseases: Epidemiology, Public Health Impact, and the Urgent Need for a Unified" One Health" Approach." *Pakistan Veterinary Journal* 45, no. 1 (2025). <http://dx.doi.org/10.29261/pakvetj/2025.115>
- [12] Lawrence, Adewale. "Evaluating the effectiveness of public health measures during infectious disease outbreaks: a systematic review." *Cureus* 16, no. 3 (2024). <https://doi.org/10.7759/cureus.55893>
- [13] Nuvey, Francis Sena, Jalil Arkoazi, Jan Hattendorf, Gloria Ivy Mensah, Kennedy

- Kwasi Addo, Günther Fink, Jakob Zinsstag, and Bassirou Bonfoh. "Effectiveness and profitability of preventive veterinary interventions in controlling infectious diseases of ruminant livestock in sub-Saharan Africa: a scoping review." *BMC Veterinary Research* 18, no. 1 (2022): 332.
- [14] Odone, Anna, Chiara Barbati, Silvia Amadasi, Tanja Schultz, and David B. Resnik. "Artificial intelligence and infectious diseases: an evidence-driven conceptual framework for research, public health, and clinical practice." *The Lancet Infectious Diseases* (2025).
- [15] Park, Jae-Yeon, and Hye-Mi Lee. "Managing Japanese Encephalitis virus as a veterinary infectious disease through animal surveillance and one health control strategies." *Life* 15, no. 8 (2025): 1260. <https://doi.org/10.3390/life15081260>
- [16] Rahim, Robbi. "Assessing Occupational Health Risks among Livestock Handlers: A One Health Approach to Zoonotic Disease Exposure and Mitigation Strategies." *National Journal of Animal Health and Sustainable Livestock* 3, no. 1 (2025): 26-33. <https://doi.org/10.17051/NJAHSL/03.01.04>
- [17] Rodrigue, Valerie, Katie Gravagna, Jacqueline Yao, Vaidehi Nafade, and Nicole E. Basta. "Current progress towards prevention of Nipah and Hendra disease in humans: A scoping review of vaccine and monoclonal antibody candidates being evaluated in clinical trials." *Tropical Medicine & International Health* 29, no. 5 (2024): 354-364. <https://doi.org/10.1111/tmi.13979>
- [18] Sharan, Manjeet, Deepthi Vijay, Jay Prakash Yadav, Jasbir Singh Bedi, and Pankaj Dhaka. "Surveillance and response strategies for zoonotic diseases: a comprehensive review." *Science in One Health* 2 (2023): 100050. <https://doi.org/10.1016/j.soh.2023.100050>
- [19] Soy, Aakansha, and Mrunal Salwadkar. "Real-Time Disease Prediction and Risk Mapping in Shrimp Aquaculture Using IoT-Integrated LSTM Deep Learning Frameworks." *National Journal of Smart Fisheries and Aquaculture Innovation* 2, no. 1 (2024): 19-27. [10.17051/NJSFAI/02.01.03](https://doi.org/10.17051/NJSFAI/02.01.03)
- [20] Turin, Laurretta, Sara Surini, Nick Wheelhouse, and Mara Silvia Rocchi. "Recent advances and public health implications for environmental exposure to Chlamydia abortus: from enzootic to zoonotic disease." *Veterinary research* 53, no. 1 (2022): 37.
- [21] van Ewijk, Catharina E., Fuminari Miura, Gini van Rijkevorsel, Henry JC de Vries, Matthijs RA Welkers, Oda E. van den Berg, Ingrid HM Friesema et al. "Mpox outbreak in the Netherlands, 2022: public health response, characteristics of the first 1,000 cases and protection of the first-generation smallpox vaccine." *Eurosurveillance* 28, no. 12 (2023): 2200772. <https://doi.org/10.2807/1560-7917.ES.2023.28.12.2200772>