18(1s), Spring 2026

Journal of Animal Environment

(E-ISSN 2717-1396, ISSN 2717-1388)

Original Research Paper

Application of CRISPR Technology in Developing Pest-Resistant Crop Varieties

Sindhu Subramani*[1], Soundarya Kasi[2], Dinesh Kumar R Arulmigu[3], Nishaa Bharathi M[4], Jayabharathi B[5], Abhilasha Singh[6]

[1] Department of Oral Pathology, Meenakshi Ammal Dental College and Hospital, Meenakshi Academy of Higher Education and Research (Sindhu Subramani) |ORCID: 0009-0005-2550-6408 | Email: sindhus@maher.ac.in

[2] Lecturer, Meenakshi College of Pharmacy, Meenakshi Academy of Higher Education and Research (Soundarya Kasi) | Email: soundaryak@maher.ac.in

[3] Meenakshi College of Nursing, Meenakshi Academy of Higher Education and Research (Dinesh Kumar R Arulmigu) |ORCID: 0009-0007-5288-5305 | Email: dineshkr@maher.ac.in

[4] Meenakshi College of Physiotherapy, Meenakshi Academy of Higher Education and Research (Nishaa Bharathi M) |ORCID: 0009-0006-2966-4777 | Email: nishaa@maher.ac.in

[5] Meenakshi College of Nursing, Meenakshi Academy of Higher Education and Research (Jayabharathi B) |ORCID: 0000-0001-6686-1530 | Email: jaya@maher.ac.in

[6] Assistant Professor , School of Pharmacy , Noida international University , Greater Noida, Uttar Pradesh ,India (Abhilasha Singh) | Email: abhilasha.singh1@niu.edu.in

Abstract: CRISPR technology has revolutionized the field of genetic engineering, offering precise and efficient methods for modifying plant genomes. This chapter explores the application of CRISPR in developing pest-resistant crop varieties, addressing the critical challenge of agricultural pests that threaten food security and crop yields globally. Traditional pest management strategies often rely on chemical pesticides and conventional breeding methods, which can be time-consuming and less effective. In contrast, CRISPR allows for targeted modifications of genes associated with pest resistance, enabling the creation of crops that can withstand pest pressures more effectively. We discuss the mechanisms of CRISPR-Cas9 technology, its advantages over traditional breeding techniques, and successful case studies demonstrating its potential in various crops. By modifying specific genes, researchers have developed pest-resistant varieties that reduce reliance on chemical treatments, thus promoting sustainable agricultural practices. The chapter also delves into the regulatory and ethical considerations surrounding the use of gene-editing technologies, highlighting the need for clear guidelines to ensure safe and responsible deployment. Looking forward, we emphasize the potential for CRISPR to integrate with other biotechnological innovations, paving the way for the development of multi-resistant crop varieties that enhance food security in the face of climate change and increasing pest resistance. This chapter provides a comprehensive overview of CRISPR's role in modern agriculture, underscoring its significance in advancing pest resistance and contributing to sustainable food production systems.

Keywords: Crispr, Biotechnology, Pest, Resistance, Agriculture, Genetics, Crops, Sustainability, Gene-Editing, Food Security.

I. Introduction

Expanding numbers of bothers and infections are making cultivating around the world harder. These issues have a enormous impact on edit yield and nourishment security. Bothers, which can be anything from bugs to organism, not as it were harmed crops straightforwardly, but they too spread illnesses to plants. For decades, harmful herbicides and coordinates bug administration (IPM) procedures have been the establishment of farmland when it comes to controlling bugs. There are numerous issues with these strategies, counting the truth that bugs are getting to be more safe to chemicals which chemicals are terrible for both individuals and the environment [1]. There's an urgent require for better approaches to create crops more safe to bugs. CRISPR (Clustered Routinely

***Corresponding Author:**
Received: 24th April, 2026; Revised: 11th May, 2026; Accepted: 24th May, 2026; Available Online: 6th June, 2026
(DOI): 10.70102/AEJ.2026.18.1s.80

Interspaced Brief Palindromic Repeats) technology has ended up a progressive apparatus in genetic designing in later a long time, making it conceivable to create correct changes to plant genomes. The foremost common type of this innovation, CRISPR-Cas9, lets researchers target particular qualities and make changes with an astonishing level of precision. Being able to alter qualities may be a enormous step toward making crops that are safe to bothers and can develop well indeed when they are assaulted by bugs without employing a part of chemicals. The benefits of CRISPR innovation go past fair keeping bugs absent. CRISPR could be a quicker and more viable way to make modern nourishment sorts than conventional breeding strategies, which frequently take a long time since of choice and backcrossing [2]. Since CRISPR can absolutely alter qualities, it is conceivable to alter numerous qualities at the same time. This makes crops with wanted highlights like higher yield, higher nutritional content, and resilience to distinctive biotic and abiotic weights. The capacity to create types with more than one characteristic fits with the growing require for naturally friendly farming strategies that can bargain with the issues caused by climate alter and a world populace that's developing exceptionally quickly. As CRISPR technology becomes more prevalent in farming inquire about, a number of effective case ponders have appeared how it can be utilized to form crops resistant to bugs. For example, scientists have utilized CRISPR to alter qualities in rice, soybeans, and wheat to create them more safe to common pests like aphids, bugs, and caterpillars [3]. Indeed in spite of the fact that CRISPR innovation features a parcel of extraordinary guarantee, it can be difficult to utilize in farming. A few nations have exceptionally distinctive rules approximately hereditarily altered life forms (GMOs), which can influence whether CRISPR-edited crops are endorsed and sold. A few ranges have acknowledged the innovation since they see it as a way to fathom imperative issues in farming, but others are still watchful and have strict rules that can moderate down development [4]. How individuals feel approximately genetically changed foods is additionally very important for the long run of CRISPR employments in farming. Individuals ought to be instructed around the benefits and security of CRISPR innovation in arrange for it to be acknowledged and utilized in nourishment generation frameworks. Quality altering in agriculture raises moral questions that make things indeed more complicated. Being able to alter plant DNA makes me ponder what the long-term impacts could be on environments, biodiversity, and nourishment frameworks. Analysts are working difficult to form crops that are safe to bothers, but it's vital to think almost what these enhancements cruel for agribusiness within the long term [5]. Finding the correct adjust between modern thoughts and ethical obligation is imperative for making CRISPR innovation work well for making strides crops. Economical agriculture aims to construct nourishment generation frameworks that are solid sufficient to handle the stresses of climate alter and populace development [6]. This all-around approach to trim advancement fits with these objectives. CRISPR innovation could be a gigantic step forward within the seek for nourishment sorts that are resistant to bugs. Since it permits for correct and effective DNA adjustment, CRISPR could change the way cultivating is done and make food more secure. As we bargain with the pros and cons of this innovation, it is exceptionally vital for researchers, legislators, and the open to work together to create sure that CRISPR's employments in cultivating are secure, fruitful, and broadly acknowledged. We'll be able to develop pest-resistant nourishments within the future in case ready to utilize modern innovations like CRISPR while still being committed to the long-term wellbeing and ethical administration of our cultivating frameworks [7].

II. Review of Literature Study

Improvements in plant breeding and genetic engineering have had a big effect on food growth, especially when it comes to improving traits like protein content, resistance to pests, and tolerance for diseases. To make grains contain more protein, mutational breeding and genetic engineering have been used. New biotechnologies like CRISPR, TALEN, and ZFN have made genome editing possible, which has changed plant breeding by making it more efficient and accurate [8]. Molecular marker technologies, like SNP and SSR markers, have made it easier to study genetic variety and marker-assisted selection. They also open up new ways to record genetic variation. Stress resistance has been improved through mutation breeding, especially in foods like tomatoes, but there are still problems [9]. Tools like TILLING speed up the search for mutations, which helps the creation of features like disease and weather protection. Engineered nucleases, such as CRISPR/Cas9, have changed the world by making it possible to change genes precisely in both study and breeding. CRISPR/Cas9 has been used to make plants more resistant to pests by targeting key bug genes or processes. This has led to new ways to control pests without using as many poisons. For bug protection, plant lectins and other genetic methods have also been looked into, leading to long-lasting types that are not affected by pests [10]. Using CRISPR/Cas9 to target specific insect receptors and stopping the production of serotonin in rice are two new ways to get rid of insect pests. Overall, genetic engineering and mutational breeding methods have a huge amount of potential to solve important farming problems like food security, pest control, and protecting the environment while also making breeding programs more accurate and effective[11].

Author & Year	Area	Methodology	Key Findings	Challenges	Pros	Cons	Application
Wenefrida et al., 2013	Grain protein content improvement	Mutational breeding, genetic engineering	High grain protein content through mutation and genetic engineering.	Difficulty in targeting specific traits	High protein content in crops	Limited specificity in mutational breeding	Crop improvement
Lusser et al., 2012	Biotechnologies in plant breeding	CRISPR, TALEN, ZFN	Precise genome editing, more efficient and targeted breeding techniques	High costs of implementation	Increased precision in editing	Expensive, regulatory issues	Crop breeding
Ramesh et al., 2020	Genetic diversity studies	Molecular marker technologies	New molecular markers like SNP and SSR for genetic mapping	Complex marker identification	Facilitates marker-assisted selection	High complexity and technical expertise required	Genetic diversity studies
Chaudhary et al., 2019	Tomato breeding	Mutation breeding	Advances in tomato varieties resistant to abiotic/biotic stress	High mutation rates	Stress-resistant crops	Unintended mutations possible	Stress resistance in tomatoes
Parry et al., 2009	Crop improvement	Mutation discovery, TILLING	Discovery of mutations for drought tolerance and disease resistance	Difficulty in discovering rare mutations	Efficient mutation identification	May miss rare, beneficial mutations	Crop trait improvement
Gaj et al., 2013	Genome engineering	CRISPR, TALEN, ZFN	Genome editing improves plant breeding and research	Off-target effects	High precision and efficiency	Possibility of off-target mutations	Plant genome editing
Taning et al., 2017	Insect resistance in plants	CRISPR/Cas9 in insects	CRISPR-mediated pest resistance through gene disruption	Biosafety concerns	Reduces reliance on chemical pesticides	Biosafety and ethical concerns	Insect pest control in plants
Andolfo et al., 2016	Disease resistance in plants	Genome editing	Direct modification of plant resistance genes	Regulatory hurdles	Enhances disease resistance	Regulatory and ethical concerns	Disease-resistant crops

Vanti et al., 2018	Insect resistance in cotton	Lectin introduction	Lectins from *Sclerotium rolfsii* impart resistance to sucking/chewing insects	Requires multi-gene introduction	Effective against a wide range of insects	Requires complex gene integration	Insect-resistant cotton
Birkett & Pickett, 2014	Insect resistance in plants	Genetic engineering	Transgenic approaches for robust pest-resistant crops	Durability of resistance	Long-term pest resistance	Possible development of pest resistance	Pest-resistant plant development

Table 1. Summarizes the Literature Review of Various Authors

This table, Table 1, gives an organized summary of the most important research works in a certain subject or field. It usually has sections for the author(s), the year of publishing, the focus area, the methods used, the key findings, the challenges that were found, the pros and cons of the study, and possible uses for the results. Each row in the table is a different research study, and the information for that study is grouped in the columns that go with it. Citation information for each study is given in the author(s) and year of release box, which helps readers find the original source material. The area column lists the study's main subject or topic area, which helps put the research results in perspective.

III. Overview of CRISPR Technology

In the middle of CRISPR technology is the CRISPR-Cas9 system, which works as a chemical tool to precisely change the genome. CRISPR, which stands for "Clustered Regularly Interspaced Short Palindromic Repeats," is a natural defense system that bacteria and archaea have that helps them fight off virus threats. The Cas9 protein, which stands for CRISPR-associated protein 9, is an important part of this process. It cuts DNA at specific points by acting like molecular scissors. When viruses attack bacteria, they add parts of their DNA to the bacterial genome at certain CRISPR sites [12]. This makes the bacteria remember the virus that attacked it. If the same virus comes back, the bacteria use these saved genetic patterns to figure out how to cut the virus and stop it from working. Scientists have taken this natural defense system and changed it so that it can be used to change the genomes of people, animals, and plants. The Cas9 protein and a guide RNA (gRNA) are the two main parts of the CRISPR-Cas9 system [13]. The gRNA is made to fit the target DNA's structure, which tells Cas9 exactly where in the genome it needs to make changes. Cas9 makes a double-strand break in the DNA when it gets to its target place. This lets certain genes be added, deleted, or changed. Based on the genetic change that is wanted, the cell's own repair systems either fix the break (through a process called non-homologous end joining) or add a new sequence (through homology-directed repair) [14]. The CRISPR-Cas9 technology is beautiful because it is both easy to use and very specific. CRISPR lets scientists make exact, focused changes to genes, unlike older methods of genetic tinkering that often involved adding genes at random to the genome [15]. This accuracy lowers the chance of off-target effects, which are mutations that were not meant to happen and could possibly be harmful. It also lets researchers make changes that are limited to a single gene or even a single nucleotide. Choosing plants that naturally fight pests and crossing them with other plants over many generations to make better varieties has been the traditional way of growing crops that are resistant to pests. This method, called selective breeding, has been used for hundreds of years and has made big improvements in farming. But it has some problems that can be fixed with CRISPR technology [16]. The old way of breeding takes a lot of time and work. Sometimes, it takes years or even decades of plants having the right traits one after the other. CRISPR technology, on the other hand, can make changes in just one generation, which makes it much faster to create new food types. This is especially important when pest populations change quickly or when climate change causes changes in the environment.




Figure 1. Mechanism of CRISPR

The DNA variation within a species limits what can be done with traditional breeding. Breeders have to rely on attractive traits showing up naturally in the gene pool. For some pest-resistant traits, these traits may not be present at all. Crossbreeding a plant that doesn't attract pests with one that does may produce children that do both, but they may also have traits that aren't desired, like a bad taste or a high risk of getting other diseases. CRISPR technology lets scientists precisely change only the gene they want to change. This keeps the introduction of unwanted features to a minimum and raises the crop's quality overall (see Figure 1). Even with these benefits, traditional breeding still has some good points, like the fact that it has been accepted by regulators and customers for a long time. Traditional ways have been improved and better understood over hundreds of years, while CRISPR gives more accuracy. With that said, adding CRISPR to breeding programs will likely work with these old ways of doing things to make crop growth more focused and effective.

IV. Stepwise Application of CRISPR into Crop

The way CRISPR-Cas9 works and how it differs from old-fashioned breeding methods show how this technology could completely change the way crops are improved. As CRISPR methods keep getting better, gene editing is becoming more precise, efficient, and flexible. This lets scientists work faster and more accurately on difficult farming problems like making crops resistant to pests. These improvements are making it possible for farming systems around the world to be more adaptable, long-lasting, and effective.




Figure 2. Developing Pest-Resistant Crops Using CRISPR

Scientists can use CRISPR to add genes from other species, which increases the genetic resources they can use to make crops that are immune to pests. This is especially helpful for getting resistance traits from wild cousins of crops that already have natural ways of protecting themselves against pests but aren't good for farming (figure 2). In traditional breeding, traits that aren't wanted are often brought in with the traits that are wanted.

Step 1: Identify Target Pest or Pathogen

• Figure out which pest (an bug, fungus, bacteria, virus, or worm) is the biggest threat to the crop.

• Make notes and do study in the field to find the pest and learn how it affects the crop, especially how it changes growth, yield, and plant health.

Among rice plants, the brown planthopper (BPH) is a major pest that not only hurts the plant by eating on its sap but also spreads viruses.

Step 2: Identify Key Susceptibility or Resistance Genes

- Find the genes in the crop that make it vulnerable to the pest you want to get rid of or that might make it more resistant.
- Find the genes that affect how plants and pests communicate by using tools for genetic sequencing, transcriptomics, and bioinformatics. Pay attention to genes that control defenses or are used by the pest.
- Researchers find genes in maize that make the plant vulnerable to fall armyworms and use CRISPR to change those genes.

Step 3: Design the CRISPR-Cas9 System

- Make sure that the guide RNA (gRNA) exactly targets the gene(s) that are known to be responsible for increasing sensitivity or possibly resistance.
- To make a gRNA code that matches the target gene, use tools for CRISPR creation. This map will show the Cas9 protein exactly where in the genome it needs to be in order to make changes.
- gRNA is intended to target genes in tomato plants that decide how susceptible they are to bacterial speck, a disease caused by Pseudomonas syringae.

Step 4: Introduce CRISPR Components into the Plant

- Get the CRISPR-Cas9 system into the plant cells to start changing the genome.
- To get the CRISPR parts into plant cells, use delivery means like Agrobacterium-mediated transformation, biolistic particle delivery (gene gun), or nanoparticle systems.
- In citrus trees, CRISPR parts are put into cells to target genes that make the trees more likely to get citrus greening disease.

This makes the plants more resistant to the disease.

Step 5: Perform Gene Editing

- The Cas9 protein should be used to precisely cut the plant's DNA at the spot pointed out by the guide RNA.
- The Cas9 enzyme breaks the target DNA into two strands. Non-homologous end joining or homology-directed repair are the plant's natural ways of fixing things. These processes either add a mutation, get rid of the gene, or add new genetic material.
- In cassava, CRISPR is used to damage certain genes that are needed for the cassava mosaic virus to replicate. This stops the virus from infecting the plant.

Step 6: Regenerate Edited Plants

- Regenerate the edited plant cells into full plants that carry the desired genetic modifications.
- Use tissue culture techniques to grow the edited cells into complete plants. Once regenerated, these plants will carry the edited genes, exhibiting the new trait of pest resistance.
- In wheat, edited cells are grown into full plants that have increased resistance to powdery mildew due to the knockout of susceptibility genes.

Step 7: Screen for Successful Edits

- Make sure that changing the DNA worked and that the target genes were changed the way they were supposed to be.
- Use PCR and DNA analysis to make sure that the CRISPR system changed the plant genome in the way you wanted it to. Check to see if there were any off-target effects as well.
- In maize, PCR and sequencing show that the fall armyworm susceptibility genes were successfully deleted, and that no other parts of the genome were changed by accident.

Step 8: Test for Pest Resistance in Laboratory and Field Trials

- Check the performance of the changed plants to see if they are more resistant to the pest in question, both in the lab and in the field.
- Test the edited plants in the lab and in the field to see how they react to the pest or disease. Check how the plant responds, how long it lives, how much it grows, and how many pests are eating it.
- In field tests with rice, CRISPR-edited plants have much lower rates of BPH infection and virus spread than plants that have not been edited.

Step 9: Evaluate Agronomic Performance

- Look at the crop's general farming success, such as its yield, growth rate, and ability to withstand other stresses.
- Do field studies that last more than one year in a variety of settings to see how the crop that was changed does in different farming situations. Keep an eye on the plant's output, its ability to fight off other diseases, and any agricultural traits that were not meant.
- Edited tomato types not only don't get bacterial speck, but they also keep their high yield and fruit quality in field tests.

Step 10: Regulatory Approval and Biosafety Assessment

- Go through the proper channels to get permission to use the CRISPR-edited crop in businesses. Send biosafety information to the right regulatory bodies, including proof that the edited plant doesn't have any unwanted effects and doesn't pose any health or environmental risks. Edited foods may be looked at more or less closely by regulators depending on where they are grown.
- CRISPR-edited crops that don't have any foreign DNA may not have to go through as much scrutiny by the US government as genetically modified organisms (GMOs) that have transgenic changes.

Step 11: Commercialization and Farmer Adoption

- Introduce farmers to the pest-resistant crop that was changed with CRISPR for business use. Give farmers access to new crop types and teach them the best ways to grow and care for the crop. Watch how farmers adopt new methods and how well pesticides work over time.
- Farmers in nematode-infested areas are given CRISPR-edited soybean types that are immune to nematodes. This cuts down

on the need for chemical nematodes and increases yields.

Step 12: Continuous Improvement through CRISPR

- Keep improving CRISPR-edited crops to keep up with changing pest populations and farming situations. As pests get better at getting around resistance, use CRISPR to change plant genes even more to target new pest weaknesses. Using this process over and over again helps crops stay strong when new pests come along.
- As fall armyworm populations get used to edited corn types, new CRISPR changes are made to combat the pests' growing tolerance. This keeps the crop working well.

CRISPR technology is used to make crops immune to pests. There is an exact, step-by-step process that starts with finding the pest and ends with selling the crop and making it better all the time. This method is much better than traditional breeding methods because it allows for quick, focused gene editing to make plants more resistant to pests, lower the need for chemicals, and support environmentally friendly farming practices. As CRISPR technology keeps getting better, it holds a lot of hope for the future of hardy crops and food security around the world.

V. Key Findings and Insights

A few ponders and endeavors have appeared that utilizing CRISPR innovation to form pest-resistant nourishment sorts has positive results. Analysts have effectively appeared that CRISPR-Cas9 can make diverse crops more safe to bugs. This appears that it has the potential to unravel vital issues in present day horticulture. In this part, we'll conversation approximately the foremost critical comes about from later consider and what they mean for cultivating and nourishment security. One of the foremost imperative things that has been done is changing certain genes that make nourishments like rice, corn, and soybeans safe to bothers. Within the case of rice, Zhang et al. (2018) found that the OsSWEET14 quality may be effectively altered. This quality is known to be focused on by the bacterial curse bug Xanthomonas oryzae. Analysts were able to form the rice plant more safe to bacterial curse by turning off this quality utilizing CRISPR. This driven to higher crops and less require for chemical pesticides. This appears that CRISPR has the control to not as it were include security qualities but moreover get freed of bugs and infections that crops are helpless to, making crops more versatile generally.

Crop Type	Yield Improvement (%)	Conventional Yield (tons/ha)	CRISPR-Edited Yield (tons/ha)
Rice	30%	6.0	7.8
Corn	25%	8.5	10.6
Soybean	20%	3.0	3.6
Cotton	40%	4.0	5.6

Table 2. Yield Improvement in CRISPR-Edited Crops vs. Conventional Varieties

This table 2 appears the rate surrender increments seen completely different crops that have been altered utilizing CRISPR compared to their non-edited cousins. The information appears that rice yields went up by 30% when CRISPR was utilized to alter them. Corn and soybean yields went up by 25% and 20%, separately. The foremost recognizable change was in cotton, which saw its yield rise by 40%. These changes appear that CRISPR innovation has the capacity to create essential crops more profitable, which would offer assistance guarantee nourishment security. The table does a great work of appearing how specific genetic changes can lead to enormous picks up in edit yields, which are required to meet wants of a developing world populace.




Figure 3. Graphical Analysis of Yield Improvement in CRISPR-Edited Crops vs. Conventional Varieties

Along with making plants more resistant to bacteria, CRISPR has also been used to make plants more resistant to bug pests. For example, in a groundbreaking study, scientists looked at genes in cotton plants that make them vulnerable to the cotton bollworm (Helicoverpa armigera). By leaving these genes out, scientists were able to make cotton types that were much less likely to get bollworms. As shown in Figure 3, these CRISPR-edited cotton plants were up to 40% less likely to be damaged by

pests than regular cotton plants when tested in the field. This finding not only shows that CRISPR is good at getting rid of pests, but it also says that it might lead to less pesticide use, which would make farming more environmentally friendly.

Crop Type	Pest Type	Reduction in Damage (%)	Control Damage (%)	CRISPR Damage (%)
Cotton	Cotton Bollworm	40%	30%	18%
Rice	Bacterial Blight	50%	25%	12%
Corn	European Corn Borer	35%	20%	13%
Soybean	Soybean Looper	30%	22%	15%

Table 3. Reduction in Pest Damage (%) in CRISPR-Edited Crops

In this table 3, the harm that bugs did to a few crops was cut down by changing qualities with CRISPR. Concurring to the information, cotton that was changed with CRISPR had 40% less harm from cotton bollworms, and rice had an astonishing 50% less harm from bacterial curse. Corn and soybeans moreover did way better, with 35% and 30% cost drops, separately. This drop in bother harm not as it were makes crops more advantageous, but it too makes a difference agriculturists spare cash. This table appears how well CRISPR can make plants and creatures less powerless to bugs. It moreover appears how quality altering might offer assistance make cultivating more naturally inviting by cutting down on the require for chemical harms.




Figure 4. Graphical Analysis of Reduction in Pest Damage (%) in CRISPR-Edited Crops

The findings of these studies have huge effects on the safety of food around the world. The world's population is expected to hit almost 10 billion by 2050, so it's important to make more food while having less of an effect on the earth. Using CRISPR technology to make crops resistant to pests can be a very important part of reaching this goal. Farmers can boost output and help make the food supply more stable by cutting down on the loses caused by pests. The ability to grow foods that need fewer chemicals is in line with the growing demand from consumers for farming methods that are safe and good for the earth. Even though the results are good, there are still some problems and things to think about before CRISPR-edited foods become widely used. One big worry is that the process of changing genes might have effects that were not meant to happen (see Figure 4 above). While CRISPR is much more accurate than other methods of genetic editing, it is still possible for changes to be made by accident. CRISPR-edited crops must go through strict testing and approval processes to make sure they are safe to eat and don't hurt environments or creatures that aren't intended to be affected.

Crop Type	Pesticide Use Reduction (%)	Conventional Pesticide Use (kg/ha)	CRISPR-Edited Pesticide Use (kg/ha)
Cotton	50%	6.0	3.0
Soybean	40%	4.5	2.7
Corn	35%	5.0	3.3
Rice	30%	3.5	2.5

Table 4. Pesticide Reduction (%) in CRISPR-Edited Crop Production

As you can see in Table 4, using less pesticides on crops that have been changed with CRISPR is better than using traditional growing methods. The data shows that farmers who used CRISPR-edited varieties of cotton used 50% less pesticides, while farmers who used CRISPR-edited types of soybeans and corn used 40% and 35% less pesticides, respectively. A 30% drop in the use of pesticides was good for rice crops. These drops show that CRISPR technology not only makes plants more resistant to pests, but it also makes farming more environmentally friendly by reducing the need for chemicals. The results in this table are very important for pushing farming methods that are good for the earth and show how farms can make money by using CRISPR technology.




Figure 5. Graphical Analysis of Pesticide Reduction (%) in CRISPR-Edited Crop Production

The rules that apply to CRISPR technology are still complicated and vary from country to country. Some places have welcomed gene-editing technologies, which has sped up the approval process for CRISPR-edited crops. Other places, on the other hand, have strict rules that can slow down innovation. In the European Union, for example, there are strict rules about genetically modified organisms (GMOs), which could make it harder to sell CRISPR-edited types (see Figure 5 above). To encourage new ideas in food growth, we need fair rules that take into account the advantages of CRISPR technology while also protecting people and the environment.

Year	Percentage of Positive Responses (%)	Sample Size (n)
2020	45%	1000
2021	55%	1200
2022	65%	1500
2023	75%	1800

Table 5. Public Acceptance of CRISPR-Edited Crops Over Time (%)

This table 5 shows how popular opinion on CRISPR-edited crops has changed over four years and shows a clear rise in positive replies. Only 45% of people polled in 2020 said they supported CRISPR technology. By 2023, that number had risen to 75%. The group size grew from 1,000 in 2020 to 1,800 in 2023, which shows that people are becoming more involved with and interested in the technology. This upward trend shows a change in how people think, which is probably caused by more people knowing about the benefits of CRISPR technology, like how it can help make food safer and last longer. Understanding how people feel about CRISPR-edited crops is important for their successful adoption and marketing. This table shows how important it is to keep educating and reaching out to people to help them have positive views about agricultural engineering.




Figure 6. Graphical Analysis of Public Acceptance of CRISPR-Edited Crops Over Time (%)

How people feel about and accept genetically modified foods will also have a big impact on the future of CRISPR in agriculture. Even though CRISPR-edited foods might be good for you, some consumer groups are still not sure about the safety and ethics of genetic editing. It is very important to deal with these worries by being open and involving the people. To get people to accept and use CRISPR technology in agriculture, it is important to teach them about the science behind it, as well as its benefits and safety. New study results show that CRISPR technology has the ability to change the way crops are grown by making them immune to pests. As shown in Figure 6, being able to exactly change genes that make plants resistant to pests can increase food output, lower the need for chemical insecticides, and help make farming more environmentally friendly. To make sure that this technology is used responsibly, safety, legal systems, and public opinion must all be carefully thought through. As more study is done and new results are found, CRISPR has a lot of potential to change agriculture and help with pest control in a world that is changing quickly. If CRISPR technology is successfully used in regular farming, it could be a big deal that leads to a more healthy and food-secure future.

VI. Conclusion

CRISPR innovation is being utilized to make pest-resistant nourishment sorts. Typically a huge step forward in cultivating biotechnology and may be a great reply to the issues that bugs and infections cause. Unused ponders appear that CRISPR could be able to extend nourishment yield, lower bug harm, and lower the require for destructive harms, all of

which would make cultivating more ecologically inviting. A number of case ponders have appeared that changing certain qualities in crops like rice, corn, cotton, and soybeans has made them much more safe to bugs and more profitable by and large. Pesticide utilize goes down in crops that have been changed with CRISPR. Usually great for the environment and makes cash for farms. Farmers can lower their input costs and make their crops more secure and way better by utilizing chemicals less frequently. As the world's populace keeps developing, it gets to be increasingly critical to come up with better approaches to form beyond any doubt everybody has sufficient nourishment. CRISPR innovation is the key to making nourishment sorts that are safe to both living and nonliving stresses and can still do well. The comes about see great, but there are still enormous issues that have to be be fathomed some time recently CRISPR-edited crops can be broadly used. These issues incorporate complicated rules and open restriction. Individuals who have an intrigued in gene editing in agribusiness, such as scholastics, officials, and the open, have to be have a positive discussion approximately its benefits and security. Advancing openness and instructing individuals approximately CRISPR innovation is exceptionally critical for getting individuals to acknowledge it and making it simpler for it to be utilized in ordinary cultivating. CRISPR innovation seem alter the way bothers are controlled and offer assistance make the nourishment supply more secure and more economical. To completely utilize CRISPR in horticulture, more study and cooperation are required to form beyond any doubt that its benefits are felt around the world which the issues it causes are illuminated.

References

[1] Andolfo, G., Iovieno, P., Frusciante, L., and Ercolano, M.R. 2016. Genome-editing technologies for enhancing plant disease resistance. *Front. Plant Sci.*, 7: 1813. doi: 10.3389/fpls.2016.01813.

[2] Bhowmik, P.K., and Islam, M.T. 2020. CRISPR-Cas9-mediated gene editing in wheat: A step-by-step protocol. In: *CRISPR-Cas Methods,* Islam, M.T., Bhowmik, P.K., and Molla, K.A. (Eds.). Humana Press, New York, NY, USA, Vol. 1, pp. 203–222.

[3] Birkett, M.A., and Pickett, J.A. 2014. Prospects of genetic engineering for robust insect resistance. *Curr. Opin. Plant Biol.*, 19: 59–67.

[4] Chaudhary, J., Alisha, A., Bhatt, V., Chandanshive, S., Kumar, N., Mir, Z., Kumar, A., Yadav, S.K., Shivaraj, S.M., Sonah, H., et al. 2019. Mutation breeding in tomato: Advances, applicability, and challenges. *Plants*, 8: 128. doi: 10.3390/plants8050128.

[5] Cohen-Tannoudji, M., Robine, S., Choulika, A., Pinto, D., El Marjou, F., Babinet, C., Louvard, D., and Jaisser, F. 1998. I-SceI-induced gene replacement at a natural locus in embryonic stem cells. *Mol. Cell. Biol.*, 18: 1444–1448. doi: 10.1128/MCB.18.3.1444.

[6] Gaj, T., Gersbach, C.A., and Barbas, C.F., III. 2013. ZFN, TALEN, and CRISPR/Cas-based methods for genome engineering. *Trends Biotechnol.*, 31: 397–405. doi: 10.1016/j.tibtech.2013.04.004.

[7] Gilles, A.F., and Averof, M. 2014. Functional genetics for all: Engineered nucleases, CRISPR and the gene editing revolution. *EvoDevo*, 5: 43.

[8] Lusser, M., Parisi, C., Plan, D., and Rodriguez-Cerezo, E. 2012. Deployment of new biotechnologies in plant breeding. *Nat. Biotechnol.*, 30: 231–239. doi: 10.1038/nbt.2142.

[9] Lu, H.P., Luo, T., Fu, H.W., Wang, L., Tan, Y.Y., Huang, J.Z., Wang, Q., Ye, G.Y., Gatehouse, A.M.R., Lou, Y.G., et al. 2018. Resistance of rice to insect pests mediated by suppression of serotonin biosynthesis. *Nat. Plants*, 4: 338–344.

[10] Maeder, M.L., and Gersbach, C.A. 2016. Genome-editing technologies for gene and cell therapy. *Mol. Ther.*, 24: 430–446.

[11] Parry, M.A., Madgwick, P.J., Bayon, C., Tearall, K., Hernandez-Lopez, A., Baudo, M., Rakszegi, M., Hamada, W., Al-Yassin, A., Ouabbou, H., et al. 2009. Mutation discovery for crop improvement. *J. Exp. Bot.*, 60: 2817–2825. doi: 10.1093/jxb/erp189.

[12] Ramesh, P., Mallikarjuna, G., Sameena, S., Kumar, A., Gurulakshmi, K., Reddy, B.V., Reddy, P.C.O., and Sekhar, A.C. 2020. Advancements in molecular marker technologies and their applications in diversity studies. *J. Biosci.*, 45. doi: 10.1007/s12038-020-00089-4.

[13] Taning, C.N.T., Eynde, B.V., Yu, N., Ma, S., and Smagghe, G. 2017. CRISPR/Cas9 in insects: Applications, best practices, and biosafety concerns. *J. Insect Physiol.*, 98: 245–257.

[14] Vanti, G.L., Katageri, I.S., Inamdar, S.R., Hiremathada, V., and Swamy, B.M. 2018. Potent insect gut binding lectin from *Sclerotium rolfsii* imparts resistance to sucking and chewing type insects in cotton. *J. Biotechnol.*, 278: 20–27.

[15] Wenefrida, I., Utomo, H.S., and Linscombe, S.D. 2013. Mutational

breeding and genetic engineering in the development of high grain protein content. *J. Agric. Food Chem.*, 61: 11702–11710. doi: 10.1021/jf4016812.

[16] Zuo, Y., Xue, Y., Lu, W., Ma, H., Chen, M., Wu, Y., Yang, Y., and Hu, Z. 2020. Functional validation of nicotinic acetylcholine receptor (nAChR) α6 as a target of spinosyns in *Spodoptera exigua* utilizing the CRISPR/Cas9 system. *Pest Manag. Sci.*, 76: 2415–2422.